



Squadron 42





Squadron 42

Translating the identity of our most exclusive models into a smaller footprint was the most wonderful brief for our designers and required every ounce of their ingenuity. The result is a compact Squadron with the genuine feeling of a much, much larger yacht. Each area has been designed to work in harmony with the next. Your journey through the entire yacht is seamless, with no interruptions, illuminated by vast, panoramic and feature windows. Even the extensive flybridge has been carefully considered to create plenty of space for you and your guests to move around freely.





The cockpit seat quickly converts into a rear-facing lounge to create a sociable terrace area, perfect for watching over those taking a swim. Inside, the master cabin has feature skylights and the starboard guest cabin's en suite has two doors that open wide to give the room a more spacious and opulent feel. This is the smallest boat in Fairline's range to offer the hydraulically-powered Tender Launch System allowing for a quick and easy way to lower and retrieve your tender. The option of the hydraulic passerelle also makes for easy boarding and slides away at the touch of a button.







SQUADRON 42

Key Features

- Spacious flybridge and walk-around side-decks
- Cockpit seating converts into a rear-facing lounger
- Optional Tender Launch System
- Optional letterbox passerelle
- Large, light-filled, well-equipped galley
- Master cabin with feature skylights and generous en suite
- Guest cabin quickly converts from twin to double
- Unique open en suite layout to guest cabin
- Exceptional storage space

Principal Dimensions and Performance

- Length of hull (bow to aft end of bathing platform, inc. gunwale): 41ft 4in (12.62m)
- Length overall (inc. gunwale): 42ft 6in (12.94m)
- Beam (inc. gunwale): 13ft 10in (4.22m)
- Number of berths: 4 - 6
- Draught: 3ft 6in (1.08m) unloaded
- Height above waterline (inc. arch + nav. light mast): 15ft 10in (4.84m)
- Transport height: 15ft 6in (4.72m)
- Dry weight (approx.): 13.29 tons (13,500 kg)
- Fuel capacity: 219 gals/263 US gals (996 L)
- Water capacity (inc. calorifier): 86 gals/103 US gals (390 L)

Engine recommendations (twin): from 740mhp to 870mhp
- 2 x Volvo Penta D6-370 EVC Shaft Diesel 370mhp each: 28 knots
- 2 x Volvo Penta D6-435 EVC Shaft Diesel 435mhp each: 30 knots



